



Created for industrial, HVAC, and facility maintenance. Rugged True-rms multimeter with a built-in thermometer to troubleshoot electrical and electromechanical problems plus a laser guided, non-contact infrared thermometer for measuring rotating or energized equipment, packed in a durable carrying case.

Combo kit content:

- 1) 179 DMM
- 2) Test leads
- 3) Thermocouple
- 4) Fluke 61 IR Thermometer
- 5) Hard carry case

Specifications		
Function	Parameter	179 DMM
Voltage DC	Maximum	1000 V
	Max. Resolution	0.1 mV
	Accuracy*	± (0.09%+2)
Voltage AC	Maximum	1000 V
	Max. Resolution	0.1 mV
	Accuracy*	± (1.0%+3)
Current DC	Maximum	10 A
	Max. Resolution	0.01 mA
	Accuracy*	± (1.0%+3)
Current AC	Maximum	10 A
	Max. Resolution	0.01 mA
	Accuracy*	± (1.5%+3)
Resistance	Maximum	50 MΩ
	Max. Resolution	0.1 Ω
	Accuracy*	± (0.9%+1)
Capacitance	Maximum	10,000 μF
	Max. Resolution	1 nF
	Accuracy*	± (1.2%+2)
Frequency	Maximum	100 kHz
	Max. Resolution	0.01 Hz
	Accuracy*	± (0.1%+1)
Temperature	Range	-40°C/400°C
	Max. Resolution	0.1°C
	179 - Accuracy* Note: *Accuracies are best acc	± (1.0%+10)